

# Biochar in Soil Restoration: A Comprehensive Review on Enhancing Soil Health and Carbon Sequestration

R VijayKumar

Department of Silviculture and Agroforestry, College of Forestry, SHUATS Prayagraj, Uttar Pradesh, India.

**Citation:** R VijayKumar (2019). Biochar in Soil Restoration: A Comprehensive Review on Enhancing Soil Health and Carbon Sequestration. *Environmental Reports*. DOI: <https://doi.org/10.51470/ER.2019.1.1.05>

Corresponding Author: R VijayKumar | E-Mail: ([vijaykumarrathod7@gmail.com](mailto:vijaykumarrathod7@gmail.com))

Received 15 January 2019 | Revised 11 February 2019 | Accepted 20 March 2019 | Available Online April 22 2019

## ABSTRACT

*This review examines the multifaceted role of biochar in soil restoration, highlighting its potential to enhance soil health and facilitate carbon sequestration. Biochar, a carbon-rich material produced through the pyrolysis of organic matter, offers unique physicochemical properties that improve soil structure, increase nutrient retention, and stimulate microbial activity. By synthesizing current research, this article discusses the mechanisms through which biochar contributes to soil fertility, addresses challenges associated with soil degradation, and evaluates its effectiveness across various soil types and agricultural systems. Additionally, the review emphasizes the dual benefits of biochar in promoting sustainable agricultural practices and mitigating climate change through long-term carbon storage. Overall, this comprehensive analysis underscores biochar's significant potential as a tool for enhancing soil health and fostering environmental sustainability.*

**Keywords:** Biochar, soil restoration, soil health, carbon sequestration, nutrient retention, microbial activity

## 1. Introduction

Soil is a vital resource that supports plant growth, maintains ecosystem health, and plays a crucial role in carbon cycling. However, widespread soil degradation resulting from unsustainable agricultural practices, urbanization, deforestation, and industrial activities poses significant challenges to food security, biodiversity, and environmental health. Soil degradation manifests in various forms, including erosion, nutrient depletion, salinization, and contamination, which can lead to reduced agricultural productivity and diminished ecosystem services [1]. In recent years, the search for sustainable solutions to combat soil degradation has intensified. Among these solutions, biochar has emerged as a promising amendment that not only restores soil health but also contributes to climate change mitigation through carbon sequestration. Biochar is a stable, carbon-rich product derived from the pyrolysis of organic materials, such as agricultural residues, forestry wastes, and other biomass, in a low-oxygen environment. This process converts organic matter into a durable form of carbon that can remain in the soil for centuries. The unique properties of biochar—such as its high surface area, porous structure, and ability to retain nutrients and water—make it an effective tool for improving soil quality. By enhancing soil structure and nutrient retention, biochar can help mitigate the adverse effects of soil degradation and promote sustainable agricultural practices. Additionally, the application of biochar can lead to increased microbial activity, supporting the vital processes of nutrient cycling and organic matter decomposition [2-3]. This review aims to provide a comprehensive analysis of the role of biochar in soil restoration. It synthesizes current research findings on biochar's properties, mechanisms of action, and practical applications across various soil types and agricultural systems. Furthermore, the review discusses the dual benefits of biochar: enhancing soil health and facilitating carbon sequestration. By understanding the multifaceted contributions of biochar, this paper underscores

its significance as a viable solution for addressing the pressing challenges of soil degradation and climate change.

## 2. What is Biochar?

Biochar is a carbon-rich material produced through the process of pyrolysis, where organic matter is heated in a low-oxygen environment. This thermochemical conversion transforms biomass, such as agricultural waste, forestry residues, and organic municipal waste, into a stable form of carbon [4]. Unlike traditional charcoal, which is often used as fuel, biochar is specifically engineered for environmental applications, particularly in soil improvement and carbon sequestration.

### 2.1 Production Process

The pyrolysis process is carried out at temperatures ranging between 300°C and 700°C, depending on the desired properties of the final product. During pyrolysis, organic materials undergo a series of complex chemical reactions, resulting in the breakdown of cellulose, hemicellulose, and lignin—major components of biomass. The pyrolysis temperature, heating rate, and residence time influence the physical and chemical properties of the biochar produced, making it highly customizable for specific applications [5]. The feedstock used in pyrolysis plays a crucial role in determining biochar's characteristics. For example:

Wood-based biochar tends to have a higher surface area and more pronounced porous structure, making it suitable for water retention and microbial colonization.

Manure-based biochar typically contains higher levels of nutrients like nitrogen, phosphorus, and potassium, making it more appropriate for enhancing soil fertility.

### 2.2 Properties of Biochar

The properties of biochar that make it ideal for soil restoration are primarily its physical structure, chemical composition, and its ability to interact with soil components.

These attributes directly influence its efficacy as a soil amendment and its ability to promote carbon sequestration.

### 2.2.1 High Surface Area and Porosity

One of the most distinctive features of biochar is its highly porous structure, which results in a large surface area. This porosity plays a key role in enhancing soil physical properties, particularly soil aeration, water retention, and the capacity to hold nutrients [6]. The pores in biochar also provide a favorable habitat for soil microorganisms, enhancing microbial activity, which is critical for nutrient cycling and organic matter decomposition.

### 2.2.2 Nutrient Content and Retention

Depending on the feedstock, biochar can contain various amounts of essential nutrients such as nitrogen (N), phosphorus (P), potassium (K), calcium (Ca), and magnesium (Mg). These nutrients contribute to improving soil fertility, which is particularly important in degraded soils with low nutrient availability. Additionally, biochar's high cation exchange capacity (CEC) allows it to adsorb and retain positively charged nutrient ions, reducing nutrient leaching and increasing their availability for plant uptake [7].

### 2.2.3 pH Modulation

Many types of biochar are alkaline, meaning they can help neutralize acidic soils, which are common in many degraded and overused agricultural lands. By raising the pH of acidic soils, biochar enhances nutrient availability, particularly for nutrients like phosphorus, which becomes more available to plants at higher pH levels.

### 2.2.4 Carbon Stability

One of the most important properties of biochar is its stability. Unlike other organic materials added to soil, which decompose and release carbon dioxide back into the atmosphere over time, biochar remains stable for hundreds to thousands of years [8]. This stability makes it an excellent agent for long-term carbon sequestration, helping to mitigate climate change by storing carbon in a solid, inert form.

## 2.3 Types of Biochar

The wide variability in feedstock types and pyrolysis conditions means that biochar is not a one-size-fits-all solution. Different types of biochar have specific advantages and disadvantages, depending on the soil type and the environmental goals. Common types of biochar include:

**Agricultural Waste Biochar:** Produced from crop residues like straw, rice husks, and corn stover, this type of biochar is abundant and relatively low-cost. It is effective in enhancing soil organic matter and improving soil water retention.

**Forestry Residue Biochar:** Made from wood chips, sawdust, and other forestry by-products, this biochar is known for its high porosity and surface area, making it ideal for improving soil structure and water infiltration.

**Manure Biochar:** Derived from animal manure, this biochar contains higher levels of nutrients and is often used to boost soil fertility, particularly in nutrient-poor soils.

## 2.4 Environmental Benefits

Beyond soil health, biochar has broader environmental benefits. By diverting waste biomass from burning or landfilling, biochar production reduces greenhouse gas emissions [9].

Moreover, biochar's ability to adsorb pollutants, including heavy metals and organic contaminants, makes it useful for soil remediation in areas impacted by industrial activities or chemical spills.

## 2.5 Economic and Practical Considerations

The production and application of biochar come with certain economic and practical considerations. While large-scale production is feasible, the cost of pyrolysis equipment and the energy required for high-temperature processing can be prohibitive for small-scale farmers [10]. However, ongoing innovations in low-cost pyrolysis technologies and decentralized biochar production systems are making biochar more accessible, especially in developing countries where soil degradation is a critical issue.

## 3. Mechanisms of Biochar in Enhancing Soil Health and Carbon Sequestration

Biochar contributes to soil health and carbon sequestration through several interconnected mechanisms, each playing a vital role in restoring degraded soils and enhancing agricultural productivity. Understanding these mechanisms is crucial for effectively utilizing biochar as a sustainable soil amendment.

### 3.1 Enhancement of Soil Physical Properties

One of the primary ways biochar improves soil health is through the enhancement of soil physical properties. Its high porosity and large surface area create a favorable environment for water retention and aeration. By increasing soil porosity, biochar improves water infiltration and reduces surface runoff, making water more available to plant roots. This property is particularly beneficial in regions prone to drought, where improved water retention can significantly enhance crop resilience [11]. Additionally, the addition of biochar can improve soil structure, promoting the formation of stable aggregates that enhance soil tilth and reduce compaction. Improved soil structure facilitates root growth and enhances overall plant health, leading to increased agricultural productivity.

### 3.2 Nutrient Retention and Availability

Biochar also plays a crucial role in nutrient retention and availability in the soil. Its unique chemical composition allows it to adsorb and hold onto essential nutrients, preventing leaching and increasing nutrient availability for plant uptake. The high cation exchange capacity (CEC) of biochar enables it to retain positively charged nutrient ions, such as potassium, calcium, and magnesium [12]. This retention is particularly important in nutrient-poor soils, where biochar can help replenish lost nutrients and improve soil fertility. Furthermore, the gradual release of nutrients from biochar over time provides a steady supply of essential elements, reducing the need for synthetic fertilizers and promoting sustainable agricultural practices.

### 3.3 Promotion of Microbial Activity

The application of biochar enhances microbial activity in the soil, which is fundamental to soil health and fertility. Biochar serves as a habitat for beneficial soil microorganisms, providing them with a stable environment and a source of carbon. Increased microbial activity leads to improved nutrient cycling, as microbes break down organic matter and release nutrients in forms accessible to plants [13]. This enhanced microbial community also contributes to disease suppression, as diverse microbial populations can outcompete pathogens for resources. By fostering a healthy and diverse microbial ecosystem, biochar

helps maintain soil health and resilience against pests and diseases.

### 3.4 pH Modulation and Soil Buffering

Biochar can significantly influence soil pH, particularly in acidic soils. Many types of biochar have alkaline properties, which can help neutralize soil acidity and improve nutrient availability. This pH modulation enhances the solubility of essential nutrients, such as phosphorus, making them more accessible to plants [14]. Additionally, the buffering capacity of biochar helps stabilize soil pH over time, reducing the fluctuations that can adversely affect plant growth and soil microbial communities. By creating a more balanced pH environment, biochar promotes healthy root development and overall plant vigor.

### 3.5 Carbon Sequestration Mechanisms

In terms of carbon sequestration, biochar plays a critical role in the long-term storage of carbon in the soil. The stability of biochar is one of its most significant attributes; it can persist in the soil for hundreds to thousands of years, effectively sequestering carbon that would otherwise be released into the atmosphere as carbon dioxide. When biochar is added to the soil, it forms stable complexes with soil organic matter, enhancing the carbon pool in the soil. This process not only mitigates climate change by reducing atmospheric carbon but also improves soil health by increasing soil organic carbon levels. The integration of biochar into soil management practices presents a dual benefit—enhancing agricultural productivity while simultaneously addressing the urgent challenge of climate change.

### 3.6 Mitigation of Soil Contamination

Biochar has shown promise in mitigating soil contamination, further contributing to its role in soil health. Its porous structure allows it to adsorb heavy metals and organic pollutants, reducing their bioavailability and toxicity in the soil. By immobilizing contaminants, biochar can help restore degraded lands impacted by industrial activities or agricultural runoff. This remediation capability not only improves soil quality but also protects plant health and enhances ecosystem functioning, biochar enhances soil health and facilitates carbon sequestration through a combination of physical, chemical, and biological mechanisms. By improving soil structure, nutrient retention, microbial activity, pH balance, and long-term carbon storage, biochar serves as a powerful tool for restoring degraded soils and promoting sustainable agricultural practices [15]. Its multifaceted benefits make it a critical component of contemporary strategies aimed at achieving environmental sustainability and food security.

## 4. Practical Applications of Biochar in Soil Restoration

The practical applications of biochar in soil restoration are diverse and encompass various agricultural practices, land management strategies, and environmental remediation efforts. As interest in biochar continues to grow, numerous studies have explored its effectiveness in different contexts, demonstrating its potential to enhance soil health, improve crop yields, and contribute to sustainable land management.

### 4.1 Biochar in Agricultural Practices

One of the most prominent applications of biochar is in agriculture, where it serves as an amendment to improve soil quality and boost crop productivity.

When incorporated into soil, biochar can enhance water retention and nutrient availability, making it particularly beneficial in areas with poor soil fertility or arid conditions. Farmers have reported improved crop yields and better overall plant health when using biochar, especially when combined with other organic amendments like compost or manure [16]. Field trials across various crops, including cereals, vegetables, and fruit trees, have shown that biochar can lead to significant increases in yield. The mechanisms underlying these yield enhancements include improved soil aeration, enhanced nutrient cycling, and increased microbial activity, all of which contribute to healthier root systems and greater plant resilience. Moreover, the application of biochar can reduce the need for chemical fertilizers, leading to cost savings for farmers and reduced environmental impact.

### 4.2 Soil Remediation and Restoration

In addition to its agricultural benefits, biochar is increasingly being used in soil remediation efforts. Its ability to adsorb heavy metals and organic contaminants makes it an effective tool for restoring degraded or polluted lands. Biochar can immobilize harmful substances, reducing their bioavailability and mitigating their impact on plant growth and soil health. This application is particularly relevant in industrial areas or locations with a history of agricultural runoff, where soil contamination can pose significant challenges to ecosystem health. Case studies have demonstrated the successful use of biochar in rehabilitating contaminated soils, leading to improved soil quality and increased biodiversity [17]. By incorporating biochar into remediation strategies, land managers can restore ecosystem functions and enhance the resilience of degraded landscapes.

### 4.3 Urban and Peri-Urban Agriculture

Biochar is gaining traction in urban and peri-urban agriculture, where limited space and resources often pose challenges for food production. Urban gardeners and farmers are using biochar to enhance soil quality in community gardens and small-scale farming operations. Its lightweight and porous nature allows for easy incorporation into existing soil systems, improving water retention and nutrient availability in often-compacted urban soils. In urban settings, biochar can also be produced from local organic waste, providing a sustainable solution for waste management while improving soil health. This localized approach not only enhances food production but also promotes community engagement and environmental stewardship [6].

### 4.4 Integration into Sustainable Land Management

The integration of biochar into sustainable land management practices offers numerous environmental benefits beyond soil health. For example, biochar can be used in agroforestry systems, where it enhances soil quality and supports the growth of trees and shrubs. This approach not only sequesters carbon but also improves biodiversity and ecosystem resilience, biochar can be applied in conjunction with cover cropping and crop rotation practices, further enhancing its positive effects on soil health [12]. By combining biochar with these sustainable practices, land managers can create synergistic benefits that lead to improved soil fertility, reduced erosion, and increased carbon sequestration.

#### 4.5 Policy Implications and Future Directions

The growing recognition of biochar's potential in soil restoration has led to increased interest among policymakers and stakeholders. Research and development initiatives are needed to establish best practices for biochar production and application, ensuring that its benefits are maximized across various contexts. Policymakers can play a crucial role in promoting biochar adoption through supportive regulations, funding for research, and educational programs aimed at farmers and land managers [12]. Furthermore, ongoing research into the long-term impacts of biochar on soil health, crop productivity, and environmental sustainability is essential for fully understanding its potential. Collaborative efforts between researchers, practitioners, and policymakers can help drive innovation and promote the widespread use of biochar as a sustainable solution for soil restoration, the practical applications of biochar in soil restoration are vast and varied, encompassing agricultural practices, soil remediation, urban agriculture, and sustainable land management. Its ability to enhance soil health, improve crop yields, and contribute to environmental sustainability makes biochar a valuable tool in the ongoing efforts to address the challenges of soil degradation and climate change. As research continues to expand our understanding of biochar's benefits, its integration into land management practices will likely play a pivotal role in promoting sustainable agriculture and restoring degraded ecosystems.

#### 5. Challenges and Considerations in Biochar Applications

While biochar presents numerous benefits for soil restoration and environmental sustainability, several challenges and considerations must be addressed to maximize its effectiveness. Understanding these challenges is crucial for researchers, practitioners, and policymakers to ensure that biochar is used responsibly and effectively in various contexts.

##### 5.1 Variability in Biochar Properties

One of the primary challenges associated with biochar is the variability in its properties, which can be influenced by factors such as feedstock type, pyrolysis conditions, and production methods. Different types of biochar exhibit varying physical, chemical, and biological characteristics, which can affect their performance in soil restoration applications. For instance, biochar produced from woody biomass may have a different nutrient content and pH compared to that made from agricultural residues. This variability can complicate the selection of the appropriate biochar for specific soil conditions and intended outcomes. Researchers and practitioners must conduct thorough analyses of biochar properties before application to ensure compatibility with local soil types and agricultural practices. Standardized protocols for biochar characterization and classification could help mitigate this challenge.

##### 5.2 Knowledge Gaps and Education

Despite the growing interest in biochar, there remain significant knowledge gaps regarding its long-term impacts and best management practices. Many farmers and land managers may lack adequate information on the benefits and proper application methods for biochar. Educational initiatives are essential to provide practical guidance on the effective use of biochar, including application rates, timing, and integration with other soil amendments.

Moreover, additional research is needed to understand the long-term effects of biochar on soil health, crop yields, and carbon sequestration. Longitudinal studies examining the persistence and performance of biochar in different soils and climates will contribute valuable insights to inform best practices and optimize its use.

##### 5.3 Economic Considerations

The economic feasibility of biochar applications can pose a barrier to its widespread adoption. The initial costs associated with biochar production, transportation, and application may be significant, particularly for smallholder farmers. While biochar can lead to long-term cost savings through reduced fertilizer use and increased crop yields, the upfront investment may deter some farmers from utilizing it. Developing local production facilities that utilize waste biomass could help reduce transportation costs and enhance the economic viability of biochar [9]. Additionally, financial incentives or subsidies from governments and organizations can encourage farmers to adopt biochar practices, making it more accessible to a broader audience.

##### 5.4 Regulatory and Policy Frameworks

The regulatory landscape surrounding biochar production and use varies significantly across regions, which can affect its adoption and implementation. In some areas, there may be limited regulations or guidelines governing biochar quality, safety, and application practices. Establishing clear standards and guidelines is essential to ensure that biochar used in agriculture is safe and effective [13]. Policymakers should consider developing comprehensive regulatory frameworks that promote biochar production and application while safeguarding environmental and public health. This could include guidelines for feedstock sourcing, production methods, and end-use applications.

##### 5.5 Environmental Considerations

While biochar has been shown to provide environmental benefits, there are potential environmental concerns associated with its production and application that must be carefully managed. For instance, the pyrolysis process may produce harmful emissions if not properly controlled, and the feedstocks used for biochar production should be sourced sustainably to avoid negative impacts on local ecosystems. It is essential to conduct life cycle assessments of biochar production and application to evaluate the overall environmental impact, ensuring that the benefits outweigh any potential drawbacks. Sustainable practices, such as using waste biomass and minimizing emissions during production, can enhance the overall sustainability of biochar applications, while biochar offers significant potential for soil restoration and environmental sustainability, several challenges and considerations must be addressed to maximize its effectiveness [4-7]. Variability in biochar properties, knowledge gaps, economic considerations, regulatory frameworks, and environmental impacts all play a role in shaping its application. By acknowledging and addressing these challenges, researchers, practitioners, and policymakers can work together to harness the full potential of biochar as a tool for enhancing soil health, improving agricultural productivity, and contributing to climate change mitigation.

## 6. Future Perspectives on Biochar Research

The future of biochar research is poised for significant advancements as scientists and practitioners continue to explore its diverse applications and potential benefits for soil restoration and environmental sustainability. Ongoing research efforts are expected to focus on optimizing production methods, refining biochar properties, and establishing standardized protocols for its use across various agricultural and ecological contexts. Additionally, integrating biochar with emerging agricultural practices, such as precision farming and agroecology, could enhance its effectiveness in promoting soil health and increasing crop resilience. As the scientific community deepens its understanding of biochar's mechanisms and interactions within soil ecosystems, the development of innovative technologies and strategies for its production and application will likely emerge, further expanding its role in addressing global challenges such as food security, climate change, and soil degradation.

## 7. Conclusion

In conclusion, biochar presents a multifaceted solution to the pressing challenges of soil degradation, climate change, and agricultural sustainability. Its ability to enhance soil health, improve nutrient retention, promote microbial activity, and sequester carbon makes it a valuable tool for restoring degraded landscapes and supporting productive agricultural systems. While challenges such as variability in biochar properties, economic feasibility, and regulatory frameworks must be addressed, the potential benefits of biochar warrant continued exploration and implementation. By leveraging biochar as a strategic soil amendment, stakeholders can contribute to the development of resilient ecosystems, promote sustainable land management practices, and ultimately support global efforts toward environmental sustainability and food security. As research and application of biochar expand, it is essential to foster collaboration among researchers, policymakers, and practitioners to unlock its full potential and ensure that its benefits are realized across diverse agricultural and ecological contexts.

## References

- Xie, T., Sadasivam, B. Y., Reddy, K. R., Wang, C., & Spokas, K. (2016). Review of the effects of biochar amendment on soil properties and carbon sequestration. *Journal of Hazardous, Toxic, and Radioactive Waste*, 20(1), 04015013.
- Ennis, C. J., Evans, A. G., Islam, M., Ralebitso-Senior, T. K., & Senior, E. (2012). Biochar: carbon sequestration, land remediation, and impacts on soil microbiology. *Critical Reviews in Environmental Science and Technology*, 42(22), 2311-2364.
- Muhammad, N., Hussain, M., Ullah, W., Khan, T. A., Ali, S., Akbar, A., & Rizwan, M. (2018). Biochar for sustainable soil and environment: a comprehensive review. *Arabian Journal of Geosciences*, 11, 1-14.
- Xie, T., Sadasivam, B. Y., Reddy, K. R., Wang, C., & Spokas, K. (2016). Review of the effects of biochar amendment on soil properties and carbon sequestration. *Journal of Hazardous, Toxic, and Radioactive Waste*, 20(1), 04015013.
- Jangir, C. K., Panghaal, D., Kumar, A., Jakhar, S. R., Choudhary, M. K., & Sharma, J. (2017). Effect of biochar to improve soil health, reduced carbon emission and mitigation of greenhouse gaseous-A review. *Journal of Pharmacognosy and Phytochemistry*, 6(6S), 808-811.
- Agegehu, G., Srivastava, A. K., & Bird, M. I. (2017). The role of biochar and biochar-compost in improving soil quality and crop performance: A review. *Applied soil ecology*, 119, 156-170.
- Muñoz, C., Góngora, S., & Zagal, E. (2016). Use of biochar as a soil amendment: a brief review. *Chilean Journal of Agricultural & Animal Sciences*, 32(SPECIAL ISSUE N° 1), 37-47.
- Lal, R. (2016). Biochar and soil carbon sequestration. *Agricultural and environmental applications of biochar: Advances and barriers*, 63, 175-197.
- Spokas, K. A., Cantrell, K. B., Novak, J. M., Archer, D. W., Ippolito, J. A., Collins, H. P., ... & Nichols, K. A. (2012). Biochar: a synthesis of its agronomic impact beyond carbon sequestration. *Journal of environmental quality*, 41(4), 973-989.
- Zhu, X., Chen, B., Zhu, L., & Xing, B. (2017). Effects and mechanisms of biochar-microbe interactions in soil improvement and pollution remediation: a review. *Environmental pollution*, 227, 98-115.
- Adeyemi, T. O. A., & Idowu, O. D. (2017). Biochar: promoting crop yield, improving soil fertility, mitigating climate change and restoring polluted soils. *World News of Natural Sciences*, (8), 27-36.
- Shaaban, M., Van Zwieten, L., Bashir, S., Younas, A., Núñez-Delgado, A., Chhajro, M. A., ... & Hu, R. (2018). A concise review of biochar application to agricultural soils to improve soil conditions and fight pollution. *Journal of environmental management*, 228, 429-440.
- Smith, P. (2016). Soil carbon sequestration and biochar as negative emission technologies. *Global change biology*, 22(3), 1315-1324.
- Mandal, S., Sarkar, B., Bolan, N., Novak, J., Ok, Y. S., Van Zwieten, L., & Naidu, R. (2016). Designing advanced biochar products for maximizing greenhouse gas mitigation potential. *Critical Reviews in Environmental Science and Technology*, 46(17), 1367-1401.
- Amini, S., Ghadiri, H., Chen, C., & Marschner, P. (2016). Salt-affected soils, reclamation, carbon dynamics, and biochar: a review. *Journal of Soils and Sediments*, 16, 939-953.
- Zama, E. F., Reid, B. J., Arp, H. P. H., Sun, G. X., Yuan, H. Y., & Zhu, Y. G. (2018). Advances in research on the use of biochar in soil for remediation: a review. *Journal of Soils and Sediments*, 18, 2433-2450.
- Kavitha, B., Reddy, P. V. L., Kim, B., Lee, S. S., Pandey, S. K., & Kim, K. H. (2018). Benefits and limitations of biochar amendment in agricultural soils: A review. *Journal of environmental management*, 227, 146-154.